

瓦斯加熱燃燒機組





瓦斯入口處裝設壓力表靜壓達到400，動壓不得低於200



旋風式烤箱外觀



整機皆為組合式，可進行拆卸再組裝

A large industrial heating system, likely a steam boiler or water heater, is the central focus. It consists of a vertical metal frame with four horizontal cylindrical tanks. The tanks are made of stainless steel and show signs of wear. The system is located in a commercial kitchen or food processing area, with a tiled floor and a metal grate in the foreground. In the background, there are other kitchen equipment, including a large stainless steel pot and a red hose. The text "加熱系統" (Heating System) is overlaid in yellow at the bottom.

加熱系統



烤箱(爐)體-內桶及推車固定卡筍機構



烤盤台車(790*465*1780mm)




四尺LED燈照明，內坎玻璃門夾層
內，免除清洗煩惱及燈泡爆裂問題



三條風管配置



1HP抽風機

A photograph of an industrial facility showing a large, flexible, silver-colored metal duct system. The duct is connected to a rectangular metal box, which is mounted on a stainless steel platform. Below the box, a black cylindrical component is visible. The background shows a blue perforated metal structure and a green machine. The text "一氧化碳廢氣排放" is overlaid in yellow.


一氧化碳廢氣排放



3HP熱風循環馬達，32盤及16盤
皆用相同馬力，讓循環更均勻

轉盤傳動系統





360度轉盤及導入固定機構

控制面板




溫度控制器

TEMPERATURE CONTROL



溫度控制器，操作簡單，
設定200度空機15分鐘達到

蒸氣控制開關，可設定噴蒸氣
時間，右側為啟動按鈕



蒸烤時間設定，右側為ON/OFF
啟動鈕及時間設定復歸鈕





烤箱內部照明燈ON/OFF鈕

蜂鳴器
BUZZER



烤箱內部照明燈ON/OFF鈕

蜂鳴器
BUZZER

蜂鳴器
BUZZER



時間到或異常通知蜂鳴器

瓦斯配管

滅火器



配盤符合規範整齊，標示明
確易於查修